



A Reliable Research Partner in Life Science and Medicine

MIP Polyclonal Antibody

catalog number: E-AB-14597

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant protein of human MIP

Host Rabbit
Isotype IgG


Purification Affinity purification


Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

IHC 1:50-1:200

Data





Immunohistochemistry of paraffin-embedded Human liver Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using MIP Polyclonal Antibody at dilution 1:50 cancer tissue using MIP Polyclonal Antibody at dilution 1:50

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Major intrinsic protein is a member of the water-transporting aquaporins as well as the original member of the MIP family of channel proteins. The function of the fiber cell membrane protein encoded by this gene is undetermined, yet this protein is speculated to play a role in intracellular communication. The MIP protein is expressed in the ocular lens and is required for correct lens function. This gene has been mapped among aquaporins AQP2, AQP5, and AQP6, in a potential gene cluster at 12q13.

Fax: 1-832-243-6017