

A Reliable Research Partner in Life Science and Medicine

Recombinant p130 Cas Monoclonal Antibody

catalog number: AN301614L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human;Rat;Mouse

Immunogen Recombinant human p130 Cas fragment

Host Rabbit Isotype lgG, κ Clone A317


Purification Protein Apurified


Buffer PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.

Applications Recommended Dilution

1:500-1:1000 **WB** 1:50-1:100 **FCM**

Data





Western Blot with p130 Cas Monoclonal Antibody at dilution Flow cytometric analysis of human p130 Cas expression on of 1:1000. Lane 1: HeLa, Lane 2: T47D, Lane 3: A431, Lane 4: Raw264.7, Lane 5: C6, Lane 6: PC-12, Lane 7: NIH-3T3

> Observed-MW:130 kDa Calculated-MW:93 kDa

MCF-7 cells. Cells were stained with purified anti-Human p130 Cas, then a Alexa Fluor 488-conjugated second step antibody. The histogram were derived from events with the forward and side light-scatter characteristics of intact cells.

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping Ice bag

Background

Docking protein which plays a central coordinating role for tyrosine kinase-based signaling related to cell adhesion. Implicated in induction of cell migration and cell branching. Involved in the BCAR3-mediated inhibition of TGFB signaling.

Toll-free: 1-888-852-8623 Fax: 1-832-243-6017 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com Rev. V1.0