

## D-Dimer Monoclonal Antibody(Detector)

catalog number: AN001300P

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

### Description


<b>Reactivity</b>	Human
<b>Immunogen</b>	Human D-dimer Native Protein
<b>Host</b>	Mouse
<b>Isotype</b>	Mouse IgG1
<b>Clone</b>	1D1
<b>Purification</b>	Protein A/G Purification
<b>Conjugation</b>	Unconjugated
<b>Buffer</b>	Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

### Applications

### Recommended Dilution

<b>ELISA Detector</b>	0.1-0.4 µg/mL
-----------------------	---------------

### Data



Sandwich ELISA-Human D-dimer Native Protein standard curve. Background subtracted standard curve using D-Dimer antibody(AN001290P)(Capture), D-Dimer antibody(AN001300P)(Detector) in sandwich ELISA. The reference range value for Human D-dimer Native Protein is 6.25-4000 ng/mL.

### Preparation & Storage

<b>Storage</b>	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles.
<b>Shipping</b>	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

### Background

D-dimer is a fibrin degradation product, a small protein fragment present in the blood after a blood clot is degraded by fibrinolysis. It is composed of two D fragments of the fibrin protein joined by a cross-link. Levels of D-dimer and fibrinogen/fibrin degradation products (FDPs) are significantly elevated in patients with deep venous thrombosis, pulmonary embolism, disseminated intravascular coagulation, or other complications.

### For Research Use Only