



A Reliable Research Partner in Life Science and Medicine

Rat IL-6R Antibody Pair Set

Catalog No. E-KAB-0652 Applications ELISA

Synonyms IL6R;CD126;IL-6R-1;IL-6R-Alpha;IL6Q;IL6RA;IL6RQ;gp80

Kit components & Storage

Title	Specifications	Storage
Rat IL-6R Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year. Avoid
		freeze/thaw cycles.
Rat IL-6R Detection Antibody (Biotin)	1 vial, 50 μL	Store at -20°C for one year. Avoid
		freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0652)		
		Rat IL-6R Capture Antibody	Rat IL-6R Detection Antibody (Biotin)	
Immunogen	Immunogen	Recombinant Rat IL-6R protein	Recombinant Rat IL-6R protein	
Information	Swissprot	P22273		
Product details	Reactivity	Rat	Rat	
	Host	Goat	Goat	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5 mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%	
		glycerol; pH 7.5	protective protein; 50% glycerol; pH	
			7.5	
	Purify	Antigen Affinity	Antigen Affinity	
	Specificity	Detects Rat IL-6R in ELISAs.		

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com

Fax: 1-832-243-6017



A Reliable Research Partner in Life Science and Medicine

Applications

Rat IL-6R Sandwich ELISA Assay

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Rat IL-6R Capture Antibody	
Capture			10
			yis
EL IGA	1 1000 1 10000	D. W. CD.D	Optical Density
ELISA	1:1000-1:10000	Rat IL-6R Detection Antibody	o e
Detection		(Biotin)	0.11
			1 10 100 Rat IL-6R Concentration(ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

Part of the receptor for interleukin 6. Binds to IL6 with low affinity; but does not transduce a signal. Signal activation necessitate an association with IL6ST. Activation leads to the regulation of the immune response; acute-phase reactions and hematopoiesis. The interaction with membrane-bound IL6R and IL6ST stimulates 'classic signaling'; the restricted expression of the IL6R limits classic IL6 signaling to only a few tissues such as the liver and some cells of the immune system. Whereas the binding of IL6 and soluble IL6R to IL6ST stimulates 'trans-signaling'. Alternatively; 'cluster signaling' occurs when membrane-bound IL6:IL6R complexes on transmitter cells activate IL6ST receptors on neighboring receiver cells.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086
Web: www.elabscience.com
Email: techsupport@elabscience.com