A Reliable Research Partner in Life Science and Medicine

CCL15/MIP-1δ Polyclonal Antibody(Capture/Detector)

catalog number: AN004500P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human

Immunogen Recombinant Human CCL15/MIP-1δ Protein expressed by E.coli

Host Rabbit
Isotype Rabbit IgG


Purification Antigen Affinity Purification

Buffer Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

Applications Recommended Dilution

ELISA Capture 2-8 μg/mL ELISA Detector 0.1-0.4 μg/mL

Data



Sandwich ELISA-Recombinant Human CCL15/MIP-18

Protein standard curve. Background subtracted standard curve

using Anti-CCL15/MIP-18 antibody(AN004500P)

(Capture), Anti-CCL15/MIP-1δ antibody (AN004500P)

(Detector). The reference range value is 15.6 - 1,000 pg/mL

for human.

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Chemokine ligand 15 (CCL15), also known as leukotactin-1, MIP5, MIP1 and HCC-2, is a small cytokine belonging to the C-C chemokine family. CCL15 is prevantly expressed in liver, small intestine, colon, and in certain leukocytes and macrophages of the lung. It is chemotactic for neutrophils, monocytes, and lymphocytes and elicits its effects by binding to cell surface chemokine receptors like CCR1 and CCR3.

For Research Use Only

Fax: 1-832-243-6017