Elabscience®

BATF Polyclonal Antibody

catalog number: E-AB-18532

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Reactivity	Human;Mouse;Rat		
Immunogen	Full length fusion protein		
Host	Rabbit		
Isotype	IgG		
Purification	Antigen affinity purification		
Conjugation	Unconjugated		
Buffer	Phosphate buffered solut	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
Applications	Recommended Dilution		
IHC	1:30-1:150		
Data			
•	f paraffin-embedded Human brain	Immunohistochemistry of paraffin-embedded Human prost	
tissue using BATF Pol	f paraffin-embedded Human brain yclonal Antibody at dilution of :45(×200)	Immunohistochemistry of paraffin-embedded Human prost ate cancer tissue using BATF Polyclonal Antibody at dilution of 1:45(×200)	
tissue using BATF Pol	yclonal Antibody at dilution of	ate cancer tissue using BATF Polyclonal Antibody at	
tissue using BATF Pol 1	yclonal Antibody at dilution of :45(×200)	ate cancer tissue using BATF Polyclonal Antibody at	
tissue using BATF Pol 1 Preparation & Storage	yclonal Antibody at dilution of :45(×200) Store at -20°C Valid for 12	ate cancer tissue using BATF Polyclonal Antibody at dilution of 1:45(×200)	

Background

The protein encoded by this gene is a nuclear basic leucine zipper protein that belongs to the AP-1/ATF superfamily of transcription factors. The leucine zipper of this protein mediates dimerization with members of the Jun family of proteins. This protein is thought to be a negative regulator of AP-1/ATF transcriptional events.