# Recombinant Human IL-1R8/IL1RAPL1 Protein (Fc Tag)

Catalog Number: PKSH033635



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-	esc					. •		
	Α	Q.	C I	PП	n	П	n	m
$\mathbf{L}$	·	0	U.	ш	v	LΙ	v	

 Species
 Human

 Mol\_Mass
 68.0 kDa

 Accession
 O9NZN1

**Bio-activity** Not validated for activity

#### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

Formulation Lyophilized from a 0.2 μm filtered solution of PBS, pH7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Interleukin-1 receptor accessory protein-like 1; also known as IL1RAPL1; can be detected at low levels in heart; skeletal muscle; ovary; skin; amygdala; caudate nucleus; corpus callosum; hippocampus; substantia nigra and thalamus. IL1RAPL1 functions as a homodimer; it interacts with NCS1; PTPRD. This interaction is PTPRD-splicing-dependent and induces pre- and post-synaptic differentiation of neurons and is required for IL1RAPL1-mediated synapse formation. During dendritic spine formation; it can bidirectionally induce pre- and post-synaptic differentiation of neurons by transsynaptically binding to PTPRD.

## For Research Use Only