

## Recombinant Human Cystatin SN/CST1 Protein (His Tag)

Catalog Number: PKSH032329

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	HEK293 Cells-derived Human Cystatin SN;CST1 protein Trp21-Ser141, with an C-terminal His
<b>Calculated MW</b>	15.4 kDa
<b>Observed MW</b>	17 kDa
<b>Accession</b>	P01037
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of 20mM MES, 150mM NaCl, pH 5.5. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
	Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Cystatin-SN is a member of family 2 of the Cystatin superfamily and a cysteine proteinase inhibitor found in saliva, tears, urine, and seminal fluid. Together with Cystatins S and SA, it is produced by the salivary gland and secreted largely in the submandibular/sublingual saliva. Cystatin-SN inhibits members of the Papain family including Cathepsins B, C, H and L.