

A Reliable Research Partner in Life Science and Medicine

# **PDHA1 Polyclonal Antibody**

catalog number: E-AB-52930

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### Description

Reactivity Human; Mouse; Rat

**Immunogen** Fusion protein of human PDHA1

Host Rabbit Isotype IgG


**Purification** Antigen affinity purification

**Buffer** Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

## **Applications** Recommended Dilution

**WB** 1:1000-1:5000 **IHC** 1:50-1:300

#### Data



Western blot analysis of A549 Hela and HepG2 cell lysates using PDHA1 Polyclonal Antibody at dilution of 1:750

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using PDHA1 Polyclonal Antibody at dilution of 1:50(×200)

Observed-MV: Refer to figures Calculated-MV:43 kDa

## Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

# Background

PDHA1(Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial) is also named as PHE1A. It is one of the 3 enzymes of the pyruvate dehydrogenase complex which is a nuclear-encoded mitochondrial matrix multienzyme complex that provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle by catalyzing the irreversible conversion of pyruvate into acetyl-CoA. It has 4 isoforms produced by alternative splicing. Defects in PDHA1 are a cause of pyruvate dehydrogenase E1-alpha deficiency (PDHAD) and X-linked Leigh syndrome (X-LS).

## For Research Use Only

Rev. V1.6