

A Reliable Research Partner in Life Science and Medicine

JAM-A/F11R Monoclonal Antibody

catalog number: AN200027P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human

Immunogen Recombinant Human JAM-A / F11R / CD321 protein


Host Mouse Isotype lgG1 Clone A871 **Purification** Protein A

Buffer 0.2 µm filtered solution in PBS


Applications Recommended Dilution


1:20-1:100 ICC/IF 1:25-1:100 **FCM**

Data



Flow cytometric analysis of human JAM-A(CD321) expression on SKBR3 cells. Cells were stained with purified anti-Human JAM-A(CD321), then a FITC-conjugated second step antibody. The histogram were derived from events with the forward and side light-scatter characteristics of intact cells.





Immunofluorescence analysis of Human JAM-A in A431 cells. Cells were fixed with 4% PFA, blocked with 10% serum, and incubated with Mouse anti-Human JAM-A Monoclonal Antibody (1:100) at 4°C overnight. Then cells were stained with the Alexa Fluor®488-conjugated (left panel, captured by laser confocal scanning microscope) and Alexa Fluor®594-conjugated (right panel, captured by fluorescence microscope) Goat Anti-mouse IgG secondary antibody, countstained with DAPI for nuclear staining (blue). Positive staining was localized to plasma membrane.

Preparation & Storage

This antibody can be stored at 2°C-8°C for one month without detectable loss of Storage

activity. Antibody products are stable for twelve months from date of receipt when

stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.

Shipping Ice bag

Background

For Research Use Only

Toll-free: 1-888-852-8623 Fax: 1-832-243-6017 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com Rev. V1.2

Elabscience®

Elabscience Bionovation Inc.

A Reliable Research Partner in Life Science and Medicine

Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. The protein encoded by this immunoglobulin superfamily gene member is an important regulator of tight junction assembly in epithelia. In addition, the encoded protein can act as (1) a receptor for reovirus, (2) a ligand for the integrin LFA1, involved in leukocyte transmigration, and (3) a platelet receptor. Multiple 2' alternatively spliced variants, encoding the same protein, have been identified but their biological validity has not been established.

For Research Use Only