

## Recombinant Mouse FCRL1 Protein (aa 17-219, His Tag)

**Catalog Number:** PKSM041196

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Mouse
<b>Source</b>	HEK293 Cells-derived Mouse FCRL1 protein Ala17-Ser219, with an C-terminal His
<b>Calculated MW</b>	22.5 kDa
<b>Observed MW</b>	40-60 kDa
<b>Accession</b>	BAC30017.1
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
<b>Reconstitution</b>	Please refer to the specific buffer information in the printed manual. Please refer to the printed manual for detailed information.

### Data



### Background

Mouse Fc receptor-like protein 1 (FCRL1) is a single-pass type I membrane protein. It is expressed in B-cells at the various stages of differentiation. Mouse FCRL1 consists of a 203 amino acid (aa) extracellular domain (ECD) with two Ig-like domains, a 21 aa transmembrane segment, and a 103 aa cytoplasmic domain with two immunotyrosine activation motifs (ITAMs). FCRL1 is likely not a receptor for immunoglobulin. It may function as an activating coreceptor in B-cells and B-cells differentiation.

### For Research Use Only