Elabscience®


Elab Fluor[®] Red 780 Anti-Mouse CD25 Antibody[PC-61.5.3]

Catalog Number: E-AB-F1102S

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Mouse
Host	Rat
Isotype	Rat lgG1, κ
Clone No.	PC-61.5.3
Isotype Control	Elab Fluor [®] Red 780 Rat IgG1, κ Isotype Control[HRPN] [Product E-AB-F09822S]
Conjugation	Elab Fluor [®] Red 780
Conjugation Information	Elab Fluor [®] Red 780 is designed to be excited by the Red (627-640 nm) laser and detected using an optical filter centered near 770 nm (e.g., a 780/60 nm bandpass filter).
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.
Applications	Recommended usage
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data



C57BL/6 murine splenocytes are stained with FITC Anti-

Mouse CD4 Antibody and Elab Fluor[®] Red 780 Anti-Mouse CD25 Antibody (Left). Splenocytes are stained with FITC

Anti-Mouse CD4 Antibody and Elab Fluor $^{\mbox{$\mathbb R$}}$ Red 780 Rat IgG1, κ Isotype Control (Right).

Preparation & Storag	ge
Storage	Keep as concentrated solution.
	This product can be stored at 2-8°C for 12 months. Please protected from prolonged
	exposure to light and do not freeze.
Shipping	Ice bag
Antigen Information	
Alternate Names	IL-2 receptor subunit alpha;IL-2-RA;IL-2R subunit alpha;IL2-RA;IL2RA;Interleukin-2
	receptor subunit alpha;TAC antigen;p55
Uniprot ID	P01590

Elabscience®

Gene ID Background

16184

CD25 is a 55 kD glycoprotein, also known as the low affinity IL-2R α , Ly-43, p55, or Tac. It is expressed on activated T and B cells, thymocyte subset, pre-B cells, and T regulatory cells. In association with CD122 (IL-2R β) and CD132(common γ chain), CD25 forms the high affinity signaling IL-2 receptor.