

A Reliable Research Partner in Life Science and Medicine

# Elab Fluor® 488 Anti-Mouse CD326/EpCAM Antibody[G8.8]

Catalog Number: E-AB-F1181UL

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Reactivity Mouse Rat Host

Isotype Rat IgG2a, ĸ

Clone No. G8.8

Isotype Control Elab Fluor® 488 Rat IgG2a, κ Isotype Control[2A3] [Product E-AB-F09833L]

Conjugation Elab Fluor®488

**Conjugation Information** Elab Fluor® 488 is designed to be excited by the Blue laser (488 nm) and detected using

an optical filter centered near 520 nm (e.g., a 525/40 nm bandpass filter).

Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein Storage Buffer

protectant.

#### **Applications** Recommended usage


**FCM** Each lot of this antibody is quality control tested by flow cytometric analysis. Please

> check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the

> reagent to obtain optimal results [The recommended concentration is 0.1-1 μg/10<sup>6</sup> cells

in 100 µL volume].

#### **Data**



4T-1 cells are stained with Elab Fluor® 488 Anti-Mouse CD326 Antibody[G8.8] (filled gray histogram) or Elab Fluor® 488 Rat IgG2a, κ Isotype Control (empty black histogram).

#### **Preparation & Storage**

**Storage** Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

**Shipping** Ice bag

#### **Antigen Information**

**Alternate Names** EGP314; Ep-CAM; EpCAM; Megp314; Tacstd1

**Uniprot ID** Q99JW5 17075 Gene ID

## For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web:www.elabscience.com Email:techsupport@elabscience.com



#### **Elabscience Bionovation Inc.**

A Reliable Research Partner in Life Science and Medicine

**Background** 

EpCAM (CD326) mediates calcium-independent homophilic cell to cell adhesion. It may also function as a growth factor receptor. It is thought to be involved in maintaining cells in position during proliferation. Expression of EpCAM seems to correlate inversely with the level of E-cadherin (CD324). EpCAM is considered important in tumor biology.

Fax: 1-832-243-6017