
Recombinant Mouse PGLYRP1/PGRP-S Protein (His Tag)

Catalog Number: PKSM040857

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species	Mouse
Source	HEK293 Cells-derived Mouse PGLYRP1/PGRP-S protein Met 1-Glu 182, with an C-
	terminal His
Calculated MW	20.2 kDa
Observed MW	18-21 kDa
Accession	O88593
Bio-activity	Not validated for activity
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from PBS, pH 7.4, 10 % glycerol
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants
	before lyophilization.
	Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.
Data	



> 95 % as determined by reducing SDS-PAGE.

Background

Web:www.elabscience.com

Elabscience®

Peptidoglycan recognition protein 1, also known as Peptidoglycan recognition protein short, PGRP-S, PGLYRP1, PGLYRP, PGRP and TNFSF3L, is a secreted protein which belongs to theN-acetylmuramoyl-L-alanine amidase 2 family. PGLYRP1 / PGLYRP is highly expressed in bone marrow. It is weakly expressed in kidney, liver, small intestine, spleen, thymus, peripheral leukocyte, lung, fetal spleen and neutrophils. PGLYRP1 / PGLYRP is a pattern receptor that binds to murein peptidoglycans (PGN) of Gram-positive bacteria. It has bactericidal activity towards Gram-positive bacteria. PGLYRP1 / PGLYRP may kill Gram-positive bacteria by interfering with peptidoglycan biosynthesis. It binds also to Gram-negative bacteria, and has bacteriostatic activity towards Gram-negative bacteria. Peptidoglycan, and function in antibacterial immunity and inflammation. Mammals have four PGRPs: PGLYRP1, PGLYRP2, PGLYRP3, and PGLYRP4. They are secreted proteins expressed in polymorphonuclear leukocytes (PGLYRP1), liver (PGLYRP2), or on body surfaces, mucous membranes, and in secretions (saliva, sweat) (PGLYRP3 and PGLYRP4 4). All PGRPs recognize bacterial peptidoglycan. The PGRPs likely play a role both in antibacterial defenses and several inflammatory diseases. They modulate local inflammatory diseases, such as psoriasis.