A Reliable Research Partner in Life Science and Medicine

# Elab Fluor® Violet 450 Anti-Human CD4 Antibody[SK3]

Catalog Number: E-AB-F1352Q

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Reactivity Human Mouse Host

Isotype Mouse IgG1, ĸ

Clone No. SK3

Isotype Control Elab Fluor® Violet 450 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-

F09792Q1

Conjugation Elab Fluor® Violet 450

**Conjugation Information** Elab Fluor® Violet 450 is designed to be excited by the violet laser (405 nm) and

detected using an optical filter centered near 450 nm (e.g., a 450/45 nm bandpass filter).

Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein Storage Buffer

protectant.


#### **Applications**

#### Recommended usage

**FCM** 

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

## **Data**



Human peripheral blood leucocytes are stained with Elab

Fluor® Violet 450 Anti-Human CD4 Antibody (Left). Leucocytes are stained with Elab Fluor® Violet 450 Mouse IgG1, κ Isotype Control (Right).

# **Preparation & Storage**

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

## **Antigen Information**

**Alternate Names** T-cell surface antigen T4/Leu-3;T-cell surface glycoprotein CD4

**Uniprot ID** P01730

# For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web:www.elabscience.com

#### **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

Gene ID

Background

920

CD4, also known as T4, is a 55 kD single-chain type I transmembrane glycoprotein expressed on most thymocytes, a subset of T cells, and monocytes/macrophages. CD4, a member of the Ig superfamily, recognizes antigens associated with MHC class II molecules and participates in cell-cell interactions, thymic differentiation, and signal transduction. CD4 acts as a primary receptor for HIV, binding to HIV gp120. CD4 has also been shown to interact with IL-16.

Fax: 1-832-243-6017