Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

Human BMP-7 Antibody Pair Set

Catalog No. E-KAB-0444 Applications ELISA

Synonyms BMP7;OP1;Osteogenic Protein-1

Kit components & Storage

Title	Specifications	Storage
Human BMP-7 Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year.
		Avoid freeze/thaw cycles.
Human BMP-7 Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0444)		
		Human BMP-7 Capture Antibody	Human BMP-7 Detection Antibody	
			(Biotin)	
Immunogen	Immunogen	Recombinant Human BMP-7 protien	Recombinant Human BMP-7 protien	
Information	Swissprot	P18075		
Product details	Reactivity	Human	Human	
	Host	Mouse	Mouse	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5 mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%	
		glycerol; pH 7.5	protective protein; 50% glycerol; pH	
			7.5	
	Purify	Protein A or G	Protein A or G	
	Specificity	Detects Human BMP-7 in ELISAs.		

For Research Use Only

Tel: 400-999-2100 Web: www.elabscience.cn Email: techsupport@elabscience.cn

Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

Applications

Human BMP-7 Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Human BMP-7 Capture	
Capture		Antibody	10
			Adjests
ELISA	1:1000-1:10000	Human BMP-7 Detection	Optical Density
Detection		Antibody (Biotin)	
			0.01
			10 100 1000 10000 Human BMP-7 Concentration(pg/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

Bone morphogenetic protein 7 (BMP-7), also known as osteogenic protein 1 (OP-1), is a widely expressed TGF-beta superfamily member with important functions during embryogenesis, in the adult, and in disease. Human BMP-7 is synthesized with a 29 amino acid (aa) signal sequence, a 263 aa propeptide, and a 139 aa growth factor domain. The growth factor domain of human BMP-7 shares 98% aa sequence identity with mouse and rat BMP-7. The BMP-7 propeptide is cleaved intracellularly but often remains associated with the mature C-terminus.

Tel: 400-999-2100 Web: www.elabscience.cn Email: techsupport@elabscience.cn