

A Reliable Research Partner in Life Science and Medicine

Recombinant Bad Monoclonal Antibody

catalog number: AN300995L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant Human Bad protein


HostRabbitIsotypeIgG,KCloneB746PurificationProtein A


Buffer PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.

Applications Recommended Dilution

IHC 1:200-1:1000 WB 1:1000-1:5000

Data






Rev. V1.1

Western Blot with Recombinant Bad Monoclonal Antibody at Immunohistochemistry of paraffin-embedded human kidney dilution of 1:1000 dilution. Lane A: Hela cells. tissue using Recombinant Bad Monoclonal Antibody at Observed-MW:23 kDa dilution of 1:200.

Observed-MW:23 kDa Calculated-MW:18 kDa



Immunohistochemistry of paraffin-embedded mouse kidney tissue using Recombinant Bad Monoclonal Antibody at dilution of 1:200.

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping Ice bag

Background

For Research Use Only

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086
 Fax: 1-832-243-6017

 Web: w w w .elabscience.com
 Email: techsupport@elabscience.com

Elabscience®

Elabscience Bionovation Inc.

A Reliable Research Partner in Life Science and Medicine

The protein encoded by this gene is a member of the BCL-2 family. BCL-2 family members are known to be regulators of programmed cell death. This protein positively regulates cell apoptosis by forming heterodimers with BCL-xL and BCL-2, and reversing their death repressor activity. Proapoptotic activity of this protein is regulated through its phosphorylation. Protein kinases AKT and MAP kinase, as well as protein phosphatase calcineurin were found to be involved in the regulation of this protein. Alternative splicing of this gene results in two transcript variants which encode the same isoform.

For Research Use Only