

Recombinant VEGF Receptor 2 Monoclonal Antibody

catalog number: **AN301319L**

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Human;Mouse;Rat
Immunogen	Recombinant Human VEGF Receptor 2 protein
Host	Rabbit
Isotype	IgG, κ
Clone	B1082
Purification	Protein A
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.

Applications Recommended Dilution

IHC	1:1000-1:4000
WB	1:2000-1:10000
IF	1:200-1:1000
ELISA	1:5000-1:20000
IP	1:50-1:200

Data



Western Blot with Recombinant VEGF Receptor 2
Monoclonal Antibody at dilution of 1:1000 dilution. Lane A:
Rat heart cell lysate.

Observed-MW:230 kDa
Calculated-MW:151 kDa

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation, survival, migration, tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are regulated by multiple factors, including Rab GTPase, P2Y purine nucleotide receptor, integrin α β 3, T-cell protein tyrosine phosphatase, et c.. Mutations of this gene are implicated in infantile capillary hemangiomas.

For Research Use Only