Recombinant Human C6/complement component 6 Protein (His Tag)

Catalog Number: PKSH030844

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species	Human
Source	HEK293 Cells-derived Human C6/complement component 6 protein Met 1-Ala 934,
	with an C-terminal His
Calculated MW	104 kDa
Observed MW	110 kDa
Accession	AAA59668.1
Bio-activity	Not validated for activity
Properties	
Purity	>90 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants
	before lyophilization.
	Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.
Data	
	KDa MK R
	116
	66.2
	45.0
	35.0

> 90 % as determined by reducing SDS-PAGE.

25.0

18.4 14.4

Background

Elabscience®

Neuromodulin, also known as Axonal membrane protein GAP-43, Growth-associated protein 43, Neural phosphoprotein B-50, pp46 and GAP43, is a cell membrane protein which belongs to theneuromodulin family. Neuromodulin / GAP43 contains oneIQ domain. Neuromodulin / GAP43 is associated with nerve growth. It is a major component of the motile " growth cones" that form the tips of elongating axons. Neuromodulin / GAP43 is involved in neurite outgrowth, a crucial process for the differentiation of neurons. The sudden infant death syndrome (SIDS) is the main cause of postneonatal infant death and its cause is still unknown. Neuromodulin / GAP43 is a major cortical cytoskeleton-associated and calmodulin binding protein that is widely and abundantly expressed during development, maintained in selected brain structures in the adult, and reinduced during nerve regeneration. CAP23 and GAP43 are functionally related intrinsic determinants of anatomical plasticity. These proteins function by locally promoting subplasmalemmal actin cytoskeleton accumulation.