Elabscience®

Elab Fluor[®] 488 Anti-Human CD11a Antibody[R7-1]

Catalog Number: E-AB-F1211L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human
Host	Mouse
lsotype	Mouse IgG1, ĸ
Clone No.	R7-1
Isotype Control	Elab Fluor [®] 488 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792L]
Conjugation	Elab Fluor [®] 488
Conjugation Information	Elab Fluor [®] 488 is designed to be excited by the Blue laser (488 nm) and detected using an optical filter centered near 520 nm (e.g., a 525/40 nm bandpass filter).
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.
Applications	Recommended usage
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Preparation & Storage)
Storage	Keep as concentrated solution.
	This product can be stored at 2-8°C for 12 months. Please protected from prolonged
	exposure to light and do not freeze.
Shipping	Ice bag
Antigen Information	
Alternate Names	CD11A;ITGAL;Integrin alpha-L;LFA-1A
Uniprot ID	P20701
Gene ID	3683
Background	CD11a is a 170-180 kD type I transmembrane glycoprotein also known as LFA-1 $lpha$
	chain and integrin α L subunit. CD11a non-covalently associates with integrin β 2 (CD1
	8) to form LFA-1. It is expressed on all leukocytes, including B and T lymphocytes,
	monocytes, macrophages, neutrophils, basophils and eosinophils. It is absent on non-
	hematopoietic tissues and platelets. CD11a plays a central role in leukocyte cell-cell
	interactions and is important in lymphocyte costimulation. CD11a/CD18 binds to ICAM-
	1 (CD54), ICAM-2 (CD102), and ICAM-3 (CD50).