TIM-1/KIM-1/HAVCR Polyclonal Antibody(Capture/Detector)

catalog number: AN001030P



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-						٠,		
D	Α		C	PТ	m	ŤΤ	U.	m
\mathbf{L}	v	0	v.	ш	עו	UΙ	U.	

Reactivity pig

Immunogen Recombinant Pig TIM-1/KIM-1/HAVCR protein expressed by Mammalian

Host Rabbit Rabbit IgG **Is otype**

Purification Antigen Affinity Purification


Conjugation Unconjugated

buffer Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

Applications Recommended Dilution

ELISA Capture $2-8 \mu g/mL$ **ELISA Detector** $0.1-0.4 \, \mu g/mL$

Data



Sandwich ELISA-Recombinant Pig TIM-1/KIM-1/HAVCR protein standard curve. Background subtracted standard curve using TIM-1/KIM-1/HAVCR antibody(AN001030P) (Capture), TIM-1/KIM-1/HAVCR antibody (AN001030P) (Detector) in sandwich ELISA. The reference range value for Recombinant Pig TIM-1/KIM-1/HAVCR protein is 0.16-10

ng/mL.

Preparation & Storage

Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

HAV cellular receptor 1 (HAVCR1), also known as Kidney injury molecule 1 (KIM-1) and T cell immunoglobulin mucin 1 (TIM-1), is a type of integral membrane glycoprotein. KIM-1 protein is widely expressed with the highest levels in the kidney and testis. It has been shown to play a major role as a human susceptibility gene for asthma, allergy, and autoimmunity. IgA llambda is a specific ligand of KIM-1 protein and that their association has a synergistic effect in virus-receptor interactions. KIM-1 involves in the pathogenesis of acute kidney injury. It had been confirmed that KIM-1 is a human urinary renal dysfunction biomarker. Moreover, KIM-1 protein is a novel regulatory molecule of flowinduced calcium signaling.

For Research Use Only