

A Reliable Research Partner in Life Science and Medicine

# PE/Elab Fluor® 594 Anti-Human CD123 Antibody[HI12H7]

Catalog Number: E-AB-F1340P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Reactivity Human Host Mouse

**Isotype** Mouse IgG1, κ

Clone No. HI12H7

Isotype Control

PE/Elab Fluor® 594 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792P]

Conjugation PE/Elab Fluor® 594

Conjugation Information PE/Elab Fluor® 594 is designed to be excited by the blue (488 nm), Green (532 nm) and

yellow-green (561 nm) lasers and detected using an optical filter centered near 620 nm

(e.g., a 610/20 nm bandpass filter).

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.


#### Applications Recommended usage

FCM Each lot of this antibody is quality control tested by flow cytometric analysis. The amount

of the reagent is suggested to be used 5  $\mu$ L of antibody per test (million cells in 100  $\mu$ L staining volume or per 100  $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for

individual use.

#### Data



Human peripheral blood mononuclear cells are stained with

APC Anti-Human CD45RO Antibody and PE/Elab Fluor® 594 Anti-Human CD123 Antibody[HI12H7] (Left).

Mononuclear cells are stained with APC Anti-Human

CD45RO Antibody and PE/Elab Fluor<sup>®</sup> 594 Mouse IgG1, κ Isotype Control (Right).

#### **Preparation & Storage**

**Storage** Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Do not freeze.

Web: www.elabscience.cn

Shipping lce bag

## **Antigen Information**

Alternate Names IL-3Rα;IL-7Receptoralpha

Uniprot ID P26951

## For Research Use Only

# Elabscience®

# Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

#### **Background**

CD123 is the 70 kD transmembrane  $\alpha$  chain of the IL-3 receptor. Alone, CD123 binds IL-3 with low affinity; when CD123 associates with CDw131 (common  $\beta$  chain), it binds IL-3 with high affinity. CD123 does not transduce intracellular signals upon binding IL-3 and requires the  $\beta$  chain for this function. CD123 is expressed by myeloid precursors, macrophages, dendritic cells, mast cells, basophils, megakaryocytes, and some B cells.