Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

MMP9 Monoclonal Antibody

catalog number: E-AB-70246

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Mouse; Rat

Immunogen Recombinant protein corresponding to Mouse MMP9

 Host
 Mouse

 Is otype
 IgG

 Clone
 5C11C10

Purification Affinity purification
Conjugation Unconjugated


Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 1% protein

protectant and 50% glycerol.


Applications Recommended Dilution

IHC 1:200-1:800


Data



Immunohistochemistry analysis of paraffin-embedded mouse inflammatory lung using MMP9 Monoclonal Antibody at dilution of 1:400.



Immunohistochemistry analysis of paraffin-embedded mouse inflammatory liver using MMP9 Monoclonal Antibody at dilution of 1:400.



Immunohistochemistry analysis of paraffin-embedded rat kidney using MMP9 Monoclonal Antibody at dilution of 1:300.

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

Web: www.elabscience.cn

temperature recommended.

Background

For Research Use Only

Tel: 400-999-2100



Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The enzyme encoded by this gene degrades type IV and V collagens. Studies in thesus monkeys suggest that the enzyme is involved in IL-8-induced mobilization of hematopoietic progenitor cells from bone marrow, and murine studies suggest a role in tumor-associated tissue remodeling.

For Research Use Only

Tel: 400-999-2100 Web: www.elabscience.cn