Elabscience®

Human CCL16 Antibody Pair Set

Catalog No.E-KAB-0150ApplicationsELISASynonymsSCYA16, NCC-4, SCYL4, LEC, HCC-4, LMC, LCC-1, CKb12, Mtn-1

Kit components & Storage

Title	Specifications	Storage
Human CCL16 Capture Antibody	1 vial, 100 µ g	Store at -20° C for one year.
		Avoid freeze / thaw cycles.
Human CCL16 Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0150)	
		Human CCL16 Capture Antibody	Human CCL16 Detection Antibody (Biotin)
Immunogen	Immunogen	Recombinant Human CCL16 protein	Recombinant Human CCL16 protein
Information	Swissprot	015467	
Product details	Reactivity	Human	Human
	Host	Rabbit	Rabbit
	Conjugation	Unconjugated	Biotin
	Concentration	0.5mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%
		glycerol, pH 7.4	protective protein, 50% glycerol, pH
			7.4
	Purify	Protein A & Antigen Affinity	Protein A & Antigen Affinity
	Specificity	Detects Human CCL16 in ELISAs.	

For Research Use Only

Elabscience®

Applications

Human CCL16 Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4µg/mL	Human CCL16 Capture Antibody	
Capture			
ELISA Detection	1:1000-1:10000	Human CCL16 Detection Antibody (Biotin)	Optical Density
			0.01 0.1 1 10 100 0.01 0.1 CCL16 concentration(ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

This gene is one of several cytokine genes clustered on the q-arm of chromosome 17. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The cytokine encoded by this gene displays chemotactic activity for lymphocytes and monocytes but not for neutrophils. This cytokine also shows a potent myelosuppressive activity and suppresses proliferation of myeloid progenitor cells. The expression of this gene is upregulated by IL-10.

For Research Use Only