



A Reliable Research Partner in Life Science and Medicine

Mouse Pro-MMP-9 Antibody Pair Set

Catalog No. E-KAB-0554 Applications ELISA

Synonyms Pro-MMP-9

Kit components & Storage

Title	Specifications	Storage
Mouse Pro-MMP-9 Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year. Avoid
		freeze/thaw cycles.
Mouse Pro-MMP-9 Detection Antibody	1 vial, 50 μL	Store at -20°C for one year. Avoid
(Biotin)		freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0554)		
		Mouse Pro-MMP-9 Capture	Mouse Pro-MMP-9 Detection	
		Antibody	Antibody (Biotin)	
Immunogen	Immunogen	Recombinant Mouse Pro-MMP-9	Recombinant Mouse Pro-MMP-9	
Information		protien	protien	
	Swissprot	P41245		
Product details	Reactivity	Mouse	Mouse	
	Host	Rat	Rat	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5 mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%	
		glycerol; pH 7.5	protective protein; 50% glycerol; pH	
			7.5	
	Purify	Protein A or G	Protein A or G	
	Specificity	Detects Mouse Pro-MMP-9 in ELISAs.		

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com



A Reliable Research Partner in Life Science and Medicine

Applications

Mouse Pro-MMP-9 Sandwich ELISA Assay

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Mouse Pro-MMP-9 Capture	
Capture		Antibody	10
			optical Density
ELISA	1:1000-1:10000	Mouse Pro-MMP-9 Detection	0 0.1 -
Detection		Antibody (Biotin)	
			0.01
			Mouse Pro-MMP-9 Concentration(pg/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

Matrix metalloproteinase that plays an essential role in local proteolysis of the extracellular matrix and in leukocyte migration. Could play a role in bone osteoclastic resorption. Cleaves KiSS1 at a Gly-|-Leu bond. Cleaves NINJ1 to generate the Secreted ninjurin-1 form. Cleaves type IV and type V collagen into large C-terminal three quarter fragments and shorter N-terminal one quarter fragments. Degrades fibronectin but not laminin or Pz-peptide.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com