

Recombinant PDK4 Monoclonal Antibody

catalog number: AN302015L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description


Reactivity	Mouse;Rat
Immunogen	Peptide. This information is proprietary to PTMab.
Host	Rabbit
Isotype	Rabbit IgG
Clone	C431636
Purification	Protein A purified
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.

Applications

Recommended Dilution


WB	1:1000
-----------	--------

Data



Western Blot with PDK4 Monoclonal Antibody at dilution of 1:1000. Lane 1: Mouse heart

Observed-MW:44 kDa
Calculated-MW:46 kDa



Western Blot with PDK4 Monoclonal Antibody at dilution of 1:1000. Lane 1: Rat heart

Observed-MW:44 kDa
Calculated-MW:46 kDa

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

Pyruvate dehydrogenase kinase isoform4 (PDK4) is also named as PDHK4 and belongs to the PDK/BCKDK protein kinase family. It is upregulated by starvation in many tissues of the body during starvation. This causes inactivation of the pyruvate dehydrogenase complex which blocks pyruvate oxidation and conserves lactate and alanine for gluconeogenesis. Enhanced PDK4 expression may be caused by the increase in free fatty acids that occurs during starvation. Free fatty acids can activate peroxisome proliferator-activated receptor α (PPAR α), and activation of PPAR α can promote PDK4 expression.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.1