AOAH Polyclonal Antibody

catalog number: E-AB-52653



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse
Immunogen	Fusion protein of human AOAH
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Conjugation	Unconjugated
buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
IHC	1:30-1:150
Data	
Immunohistochemistry of paraffin-embedded Human thyroid Immunohistochemistry of paraffin-embedded Human	
cancer tissue using AOAI	Polyclonal Antibody at dilution of cervical cancer tissue using AOAH Polyclonal Antibody at
	:25(×200) dilution of 1:25(×200)
Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the
	temperature recommended.
Background	
This locus encodes both	the light and heavy subunits of acyloxyacyl hydrolase. The encoded enzyme catalyzes the

This locus encodes both the light and heavy subunits of acyloxyacyl hydrolase. The encoded enzyme catalyzes the hydrolysis of acyloxylacyl-linked fatty acyl chains from bacterial lipopolysaccharides, effectively detoxifying these molecules. The encoded protein may play a role in modulating host inflammatory response to gram-negative bacteria. Alternatively spliced transcript variants have been described.

For Research Use Only