



A Reliable Research Partner in Life Science and Medicine

AF/LE Purified Anti-Human IL-4 Antibody[MP4-25D2]

catalog number: E-AB-F12030

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| D | • | 4.0 |
|----------|-----|-------|
| I IAC | CPH | otion |
| DCS. | | |

Reactivity Human Host Rat

 $\begin{array}{lll} \textbf{Isotype} & \text{Rat IgG1, } \kappa \\ \textbf{Clone} & \text{MP4-25D2} \\ \textbf{Conjugation} & \text{None (AF/LE)} \end{array}$

Buffer Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method

•

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles. This preparation contains no preservatives, thus it should be handled

under aseptic conditions.

Shipping Ice bag

Background

IL-4 is a pleiotropic cytokine that is produced by activated T cells, mast cells, and basophils. IL-4 elicits many different biological responses but has two dominant functions. The first is regulating differentiation of naive CD4+ T cell to the Th2 type. Th2 cells produce IL-4, IL-5, IL-10, and IL-13, which tend to favor a humoral immune response while suppressing a cell-mediated immune response controlled by Th1 cells. The second is regulating IgE and IgG1 production by B cells.

For Research Use Only