Elabscience®


APC Anti-Mouse IL-2 Antibody[JES6-5H4]

Catalog Number: E-AB-F1201E

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|-------------------------|--|
| Reactivity | Mouse |
| Host | Rat |
| lsotype | Rat lgG2b, κ |
| Clone No. | JES6-5H4 |
| Isotype Control | APC Rat IgG2b, κ Isotype Control[LTF-2] [Product E-AB-F09842E] |
| Conjugation | APC |
| Conjugation Information | APC is designed to be excited by the Red (627-640 nm) laser and detected using an optical filter centered near 660 nm (e.g., a 660/20 nm bandpass filter). |
| Storage Buffer | Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant. |
| Applications | Recommended usage |
| FCM | Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µL staining volume or per 100 µL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. |

Data



HEK293T cells transiently transfected with pcDNA3.1 plasmid encoding Mouse IL-2 gene are stained with APC Anti-Mouse IL-2 Antibody (filled gray histogram) or APC Rat IgG2b, κ Isotype Control (empty black histogram).

| Preparation & Storage | |
|-----------------------|--|
| Storage | Keep as concentrated solution. |
| | This product can be stored at 2-8°C for 12 months. Please protected from prolonged |
| | exposure to light and do not freeze. |
| Shipping | lce bag |
| Antigen Information | |
| Alternate Names | IL-2;IL2;Interleukin-2;T-cell growth factor;TCGF |
| Uniprot ID | P04351 |
| Gene ID | 16183 |

For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w w .elabscience.com</u>

Elabscience®

Background

IL-2 is a potent lymphoid cell growth factor which exerts its biological activity primarily on T cells. Additionally, IL-2 has been found to stimulate growth and differentiation of B cells, NK cells, LAK cells, monocytes, and oligodendrocytes.

For Research Use Only