



A Reliable Research Partner in Life Science and Medicine

Mouse MFGE8 Antibody Pair Set

Catalog No. E-KAB-0602 Applications ELISA

Synonyms BA46;EDIL1;HMFG;Lactadherin;MFGM;Medin;Milk fat globule-EGF factor

8;OAcGD3S;SED1;SPAG10;Sperm Associated Antigen 10;Sperm Surface Protein hP47;hP47

Kit components & Storage

Title	Specifications	Storage
Mouse MFGE8 Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year. Avoid
		freeze/thaw cycles.
Mouse MFGE8 Detection Antibody	1 vial, 50 μL	Store at -20°C for one year. Avoid
(Biotin)		freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0602)		
		Mayor MECES Continue Antihody	Mouse MFGE8 Detection Antibody	
		Mouse MFGE8 Capture Antibody	(Biotin)	
Immunogen	Immunogen	Recombinant Mouse MFGE8 protien	Recombinant Mouse MFGE8 protien	
Information	Swissprot	P21956		
Product details	Reactivity	Mouse	Mouse	
	Host	Goat	Goat	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5 mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%	
		glycerol; pH 7.5	protective protein; 50% glycerol; pH	
			7.5	
	Purify	Antigen Affinity	Antigen Affinity	
	Specificity	Detects Mouse MFGE8 in ELISAs.		

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com



A Reliable Research Partner in Life Science and Medicine

Applications

Mouse MFGE8 Sandwich ELISA Assay

	Recommended Concentration/Dilution	Reagent	Images
ELISA Capture	0.5-4 μg/mL	Mouse MFGE8 Capture Antibody	10 10 100 1000 10000 Mouse MFGE8 Concentration (pg/mL)
ELISA Detection	1:1000-1:10000	Mouse MFGE8 Detection Antibody (Biotin)	

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

This gene encodes a preproprotein that is proteolytically processed to form multiple protein products. The major encoded protein product , lactadherin , is a membrane glycoprotein that promotes phagocytosis of apoptotic cells. This protein has also been implicated in wound healing , autoimmune disease , and cancer. Lactadherin can be further processed to form a smaller cleavage product , medin , which comprises the major protein component of aortic medial amyloid (AMA) . Alternative splicing results in multiple transcript variants.

Toll-free: 1-888-852-8623 Web: <u>www.elabscience.com</u> Tel: 1-832-243-6086 F Email: techsupport@elabscience.com

Fax: 1-832-243-6017