



A Reliable Research Partner in Life Science and Medicine

APOBEC3G Polyclonal Antibody

catalog number: E-AB-93116

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Rat

Immunogen Recombinant fusion protein of human APOBEC3G

Host Rabbit Isotype IgG


Purification Affinity purification

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

WB 1:500-1:2000

Data



Western blot analysis of extracts of various cell lines using

APOBEC3G Polyclonal Antibody at 1:1000 dilution.

Observed-MW:46 kDa

Calculated-MW:9 kDa/46 kDa

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

This gene is a member of the cytidine deaminase gene family. It is one of seven related genes or pseudogenes found in a cluster, thought to result from gene duplication, on chromosome 22. Members of the cluster encode proteins that are structurally and functionally related to the C to U RNA-editing cytidine deaminase APOBEC1. The protein encoded by this gene catalyzes site-specific deamination of both RNA and single-stranded DNA. The encoded protein has been found to be a specific inhibitor of human immunodeficiency virus-1 (HIV-1) infectivity.

Rev. V1.7