Elabscience®

Recombinant Human gsta1 protein (His Tag)

Catalog Number: PDEH100934

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|---------------------|--|
| Species | Human |
| Source | E.coli-derived Human gstal protein Ala2-Phe222, with an N-terminal His |
| Calculated MW | 24.2 kDa |
| Observed MW | 30 kDa |
| Accession | P08263 |
| Bio-activity | Not validated for activity |
| Properties | |
| Purity | > 95% as determined by reducing SDS-PAGE. |
| Endotoxin | < 10 EU/mg of the protein as determined by the LAL method |
| Storage | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 |
| | °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of |
| | reconstituted samples are stable at $< -20^{\circ}$ C for 3 months. |
| Shipping | This product is provided as lyophilized powder which is shipped with ice packs. |
| Formulation | Lyophilized from a 0.2 μ m filtered solution in PBS with 5% Trehalose and 5% |
| | Mannitol. |
| Reconstitution | It is recommended that sterile water be added to the vial to prepare a stock solution of |
| | 0.5 mg/mL. Concentration is measured by UV-Vis. |

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Glutathione S-transferase that catalyzes the nucleophilic attack of the sulfur atom of glutathione on the electrophilic groups of a wide range of exogenous and endogenous compounds (Probable). Involved in the formation of glutathione conjugates of both prostaglandin A2 (PGA2) and prostaglandin J2 (PGJ2). Tissue specificity expressed in liver. Homodimer or heterodimer of GSTA1 and GSTA2.