## **Elabscience**®


## Elab Fluor<sup>®</sup> Violet 450 Anti-Mouse H-2 Antibody[M1/42]

Catalog Number: E-AB-F1216Q

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Mouse
Host	Rat
lsotype	Rat lgG2a, κ
Clone No.	M1/42
Isotype Control	Elab Fluor <sup>®</sup> Violet 450 Rat IgG2a, κ Isotype Control[2A3] [Product E-AB-F09832Q]
Conjugation	Elab Fluor <sup>®</sup> Violet 450
Conjugation Information	Elab Fluor <sup>®</sup> Violet 450 is designed to be excited by the violet laser (405 nm) and detected using an optical filter centered near 450 nm (e.g., a $450/45$ nm bandpass filter).
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.
Applications	Recommended usage
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 $\mu$ L of antibody per test (million cells in 100 $\mu$ L staining volume or per 100 $\mu$ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data



C57BL/6 murine splenocytes are stained with Elab Fluor<sup>®</sup> Violet 450 Anti-Mouse H-2 Antibody (filled gray histogram) or

Elab Fluor<sup>®</sup> Violet 450 Rat IgG2a,  $\kappa$  Isotype Control (empty black histogram).

Preparation & Storag	ge
Storage	Keep as concentrated solution.
	This product can be stored at 2-8°C for 12 months. Please protected from prolonged exposure to light and do not freeze.
Shipping	Ice bag
Antigen Information	
Alternate Names	MHC I;Mouse major histocompatibility complex (MHC) H-2
Uniprot ID	P06345
Gene ID	111364

## For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>www.elabscience.com</u>

## **Elabscience**®

Background

The M1/42 antibody reacts with the H-2 MHC class I alloantigens expressed on nucleated cells from mice of the a, b, d, j, k, s, and u haplotypes (Stallcup, KC et al, 1981). MHC class I is involved in antigen presentation to T cells expressing CD3/TCR and CD8 proteins.