NOS1 Polyclonal Antibody

catalog number: E-AB-70065



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen KLH conjugated Synthetic peptide corresponding to Mouse nNOS

Host Rabbit Isotype IgG

Purification Affinity purification
Conjugation Unconjugated


buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 1% protein

protectant and 50% glycerol.

Applications Recommended Dilution


WB 1:500-1:2000 **IHC** 1:300-1:800

Data



Western Blot analysis of various samples using NOS1 Polyclonal Antibody at dilution of 1:500.

Observed-MV:161 kDa Calculated-MV:161 kDa



Human brain cancer using NOS1 Polyclonal Antibody at dilution of 1:300.

Immunohistochemistry analysis of paraffin-embedded



Immunohistochemistry analysis of paraffin-embedded Mouse Immunohistochemistry analysis of paraffin-embedded Rat brain using NOS1 Polyclonal Antibody at dilution of 1:300. brain using NOS1 Polyclonal Antibody at dilution of 1:300.

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

For Research Use Only

NOS1 Polyclonal Antibody

catalog number: E-AB-70065



The protein encoded by this gene belongs to the family of nitric oxide synthases, which synthesize nitric oxide from L-arginine. Nitric oxide is a reactive free radical, which acts as a biologic mediator in several processes, including neurotransmission, and antimicrobial and antitumoral activities. In the brain and peripheral nervous system, nitric oxide displays many properties of a neurotransmitter, and has been implicated in neurotoxicity associated with stroke and neurodegenerative diseases, neural regulation of smooth muscle, including peristals is, and penile erection. This protein is ubiquitously expressed, with high level of expression in skeletal muscle. Multiple transcript variants that differ in the 5' UTR have been described for this gene but the full-length nature of these transcripts is not known. Additionally, alternatively spliced transcript variants encoding different isoforms (some testis-specific) have been found for this gene.