

A Reliable Research Partner in Life Science and Medicine

# Recombinant CD16-2/FCGR4 Monoclonal Antibody

catalog number: AN300461P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Reactivity Mouse

Immunogen Recombinant Mouse CD16-2/FCGR4 protein


Host Rabbit
Isotype IgG
Clone 8B5
Purification Protein A

Buffer 0.2 µm filtered solution in PBS


Applications Recommended Dilution

**IHC-P** 1:100-1:500


#### Data



Immunohistochemistry of paraffin-embedded mouse spleen using CD16-2/FCGR4 Monoclonal Antibody at dilution of 1:200. The left panel: tissue incubated with primary antibody; The right panel: tissue incubated with the mixture of primary antibody and antigen (recombinant protein).



Immunohistochemistry of paraffin-embedded mouse liver using CD16-2/FCGR4 Monoclonal Antibody at dilution of 1:200.



Immunohistochemistry of paraffin-embedded mouse lung using CD16-2/FCGR4 Monoclonal Antibody at dilution of 1:200.Positive staining was localized to pulmonary macrophage.



Immunohistochemistry of paraffin-embedded mouse intestine using CD16-2/FCGR4 Monoclonal Antibody at dilution of 1:200.

Rev. V1.0

## **Preparation & Storage**

**Storage** This antibody can be stored at 2°C-8°C for one month without detectable loss of

activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.

Shipping Ice bag

#### **Background**

FcgRIV, also known as CD16-2, is an intermediate-affinity activating receptor for lgG2a and lgG2b. CD16-2 is the mouse homolog of human FcgRIIIA. CD16-2 is a low-affinity lgE receptor for all allotypes and the ligation of FcgRIV by antigen-lgE immune complexes promotes macrophage-mediated phagocytosis and is involved in lung inflammation.

## For Research Use Only