

# Recombinant Human PAPP-A2/Pappalysin 2 Protein (His Tag)



Catalog Number:PKSH031546

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


## Description

<b>Synonyms</b>	PAPP-A2;PAPP-E;PAPPE;PLAC3
<b>Species</b>	Human
<b>Expression Host</b>	HEK293 Cells
<b>Sequence</b>	Ser 234-Cys 1396
<b>Accession</b>	NP_064714.2
<b>Calculated Molecular Weight</b>	131 kDa
<b>Observed molecular weight</b>	170-180 kDa
<b>Tag</b>	C-His

## Properties

<b>Purity</b>	> 90 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from sterile PBS, pH 7.4, 5% Trehalose, 5% Mannitol, 0.01%, Tween-80 Normally 5 % - 8 % trehalose, mannitol and 0.01 % Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

## Data



> 90 % as determined by reducing SDS-PAGE.

## Background

Pappalysin-2/PAPP-A2 is the second member of the pappalysin family of metzincin superfamily, of which PAPP-A is the first member. There is no homology between the prepro-peptides of PAPP-A and PAPP-A2, but 46% of the residues of mature PAPP-A are also present in mature PAPP-A2. PAPP-A specifically cleaves insulin-like growth factor-binding protein(IGFBP)-4, one of six known modulators of IGF-I and -II, whereas PAPP-A2 specifically cleaved IGFBP-5 at one site, between Ser-143 and Lys-144. In contrast to the cleavage of IGFBP-4 by PAPP-A that strictly requires the presence of IGF, the cleavage of IGFBP-5 by PAPP-A2 was IGF-independent. Recent data firmly establish PAPP-A and IGFBP-4 as an important functional pair in several systems. Because of its close relationship with PAPP-A, both structurally and

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

# Recombinant Human PAPPA2/Pappalysin 2 Protein (His Tag)



Catalog Number: PKSH031546

---

functionally, PAPP-A2 is a likely candidate for IGFBP-5 proteinase in many tissues and conditioned media where IGFBP-5 proteolysis has been reported.

---

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Tel: 1-832-243-6086

Fax: 1-832-243-6017

Web: [www.elabscience.com](http://www.elabscience.com)

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)