



A Reliable Research Partner in Life Science and Medicine

## Elab Fluor® 647 Anti-Human CD329 Antibody[K8]

Catalog Number: AN00319M

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Descri	

Reactivity Human Mouse Host

Mouse IgG1, κ Isotype

Clone No. K8

Isotype Control Elab Fluor<sup>®</sup> 647 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792M]

Conjugation Elab Fluor®647

**Conjugation Information** Elab Fluor® 647 is designed to be excited by the Red laser (627-640 nm) and detected

using an optical filter centered near 670 nm (e.g., a 660/20 nm bandpass filter).

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein

protectant.

## **Applications** Recommended usage

**FCM** Each lot of this antibody is quality control tested by flow cytometric analysis. The amount

> of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for

individual use.

## **Preparation & Storage**

Keep as concentrated solution. Storage

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

## **Antigen Information**

**Alternate Names** Siglec-9; Sialic acid-binding Ig-like lectin-9;

**Uniprot ID** Q9Y336 Gene ID 27180

**Background** Siglecs are cell surface receptors belonging to the immunoglobulin superfamily that

> recognize sugar antigens. The extracellular domain of siglec-9 contains an IgV region, which binds sialic acid, followed by two IgC regions. Siglec 9 and siglec 6-8,10-12 are CD33 (siglec 3) like siglecs, which have two ITIMs in the cytoplasmic tails, suggesting their functional involvement in signal transduction. It is highly expressed on neutrophils and monocytes, and at lower levels on the subpopulations of T and B lymphocytes and NK cells. Siglec-9 plays a role in negative regulation of T cell activation, and it also

affects neutrophil apoptosis.

Tel: 1-832-243-6086 Fax: 1-832-243-6017 Toll-free: 1-888-852-8623 Web:www.elabscience.com

Email:techsupport@elabscience.com

Rev. V1.8