## **Elabscience**®

## Purified Anti-Human CD152 Antibody[BNI3]

## catalog number: AN006270P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human
Immunogen	Recombinant Human CD152 protein
Host	Mouse
Isotype	Mouse IgG2a, ĸ
Clone	BNI3
Purification	>98%, Protein A/G purified
Buffer	Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze
	to completely remove the stabilizer prior to labeling.

Applications	<b>Recommended Dilution</b>
FCM	$2 \text{ µg/mL}(1 \times 10^5 - 5 \times 10^5 \text{ cells})$

-

Data



HEK293T cells transfected with pcDNA3.1 plasmid encoding Human CD152 gene were stained with 0.2 μg Purified Anti-Human CD152 Antibody[BNI3] (Right) and 0.2 μg Mouse IgG2a, κ Isotype Control (Left), followed by Alexa Fluor® 647-conjugated Goat Anti-Mouse IgG

Secondary Antibody.

-	
Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /
	thaw cycles.
Shipping	Ice bag
Reekground	

This gene is a member of the immunoglobulin superfamily and encodes a protein which transmits an inhibitory signal to T cells. The protein contains a V domain, a transmembrane domain, and a cytoplasmic tail. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. The membrane-bound isoform functions as a homodimer interconnected by a disulfide bond, while the soluble isoform functions as a monomer. Mutations in this gene have been associated with insulin-dependent diabetes mellitus, Graves disease, Hashimoto thyroiditis, celiac disease, systemic lupus erythematosus, thyroid-associated orbitopathy, and other autoimmune diseases.

For Research Use Only