

A Reliable Research Partner in Life Science and Medicine

COX4I1 Polyclonal Antibody

catalog number: E-AB-70109

Note: Centrifuge before opening to ensure complete recovery of vial contents.

ъ .	
Descri	ntion
	DULUL

Reactivity Human; Mouse; Rat

Immunogen Recombinant protein corresponding to Mouse COX IV

Host Rabbit Isotype IgG


PurificationAffinity purificationConjugationUnconjugated

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 1% protein

protectant and 50% glycerol.


Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:200-1:800
IF	1:200-1:500

Data




Western Blot analysis of various samples using COX4I1 Polyclonal Antibody at dilution of 1:1500.

Observed-MW:16 kDa Calculated-MW:16 kDa




Immunohistochemistry analysis of paraffin-embedded human tonsil using COX4I1 Polyclonal Antibody at dilution of 1:200.



Immunohistochemistry analysis of paraffin-embedded human Immunohistochemistry analysis of paraffin-embedded liver cancer using COX4I1 Polyclonal Antibody at dilution of Mouse kidney cancer using COX4I1 Polyclonal Antibody at 1:200. dilution of 1:200.

Web: www.elabscience.cn



For Research Use Only



Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

Immunofluorescence analysis of paraffin-embedded Rat brain using COX4I1 Polyclonal Antibody at dilution of 1:300.

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack,upon receipt, store it immediately at the

temperature recommended.

Background

COX4II, also named as COX4 and COXIV-1, belongs to the cytochrome c oxidase IV family. It is one of the nuclear-coded polypeptide chains of cytochrome c oxidase, the terminal oxidase in mitochondrial electron transport. COX4II is a marker for mitochondria. It has two isoforms (isoform 1 and 2). Isoform 1(COX4II) is ubiquitously expressed and isoform 2 is highly expressed in lung tissues. COX4II is commonly used as a loading control. This antibody is specific to COX4II and do not cross reacts with COX4I2.

Web: www.elabscience.cn