
## Recombinant Human ACE2 Protein (Avi-His Tag)

## Catalog Number: PKSR030493

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species	Human
Source	HEK293 Cells-derived Human ACE2 protein Gln18-Ser740, with an C-terminal Avi &
	His
Calculated MW	86.2 kDa
Observed MW	110-140 kDa
Accession	Q9BYF1
<b>Bio-activity</b>	Immobilized 2019-nCoV S1 Protein-Fc(Cat#PKSR030480) at 2µg/ml (100 µl/well) can
	bind Biotinylated Human ACE-2-Avi-His (Cat#PKSR030493). The ED <sub>50</sub> of
	Biotinylated Human ACE-2-Avi-His (Cat#PKSR030493) is 0.17 ug/ml.
Properties	
Purity	> 95 % as determined by reducing SDS-PAGE.
Concentration	Subject to label value.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Store at $<$ -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel
	packs. Upon receipt, store it immediately at $< -20^{\circ}$ C.
Formulation	Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 300mM NaCl, 1mM ZnCl <sub>2</sub> , 10% Glycerol, pH 7.4.

## Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Angiotensin-Converting Enzyme 2 (ACE-2) is an integral membrane protein and a zinc metalloprotease of the ACE family, the ACE family includes somatic and germinal ACE. ACE-2 cleaves angiotensins I and II as a carboxypeptidase, ACE-2 converts angiotensin I to angiotensin 1-9, and angiotensin II to angiotensin 1-7. ACE-2 is also able to hydrolyze apelin-13 and dynorphin-13 with high efficiency. ACE-2 can be high expressed in testis, kidney and heart, in colon, small intestine and ovary at moderate levels. Captopril and lisinopril as the classical ACE inhibitor don't inhibit ACE-2 activity. ACE-2 may play an important role in regulating the heart function.

Web:www.elabscience.com