A Reliable Research Partner in Life Science and Medicine

UCP2 Polyclonal Antibody

catalog number: E-AB-17512

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Synthetic peptide of human UCP2

Host Rabbit
Isotype IgG


Purification Affinity purification


Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

WB 1:200-1000 **IHC** 1:10-50

Data





Immunohistochemistry of paraffin-embedded Human liver cancer using UCP2 Polyclonal Antibody at dilution of 1/20

Western Blot analysis of Mouse liver tissue using UCP2 Polyclonal Antibody at dilution of 1/200

Calculated-MW:33 kDa

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Mitochondrial uncoupling proteins (UCP) are members of the larger family of mitochondrial anion carrier proteins (MACP). UCPs separate oxidative phosphorylation from ATP synthesis with energy dissipated as heat, also referred to as the mitochondrial proton leak. UCPs facilitate the transfer of anions from the inner to the outer mitochondrial membrane and the return transfer of protons from the outer to the inner mitochondrial membrane. They also reduce the mitochondrial membrane potential in mammalian cells.