



A Reliable Research Partner in Life Science and Medicine

Purified Anti-Human CD135 Antibody[BV10(BV10A4)]

catalog number: AN004070P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

		4.0
LIDE	CPI	otion
LUCS		JULUL

Reactivity Human

Immunogen Recombinant Human CD135 protein

Host Mouse

 $\begin{tabular}{lll} \textbf{Is otype} & Mouse IgG1, \kappa \\ \textbf{Clone} & BV10(BV10A4) \end{tabular}$

Purification >98%, Protein A/G purified

Conjugation Unconjugated

Buffer Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze

to completely remove the stabilizer prior to labeling.

Applications Recommended Dilution

FCM $2 \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

Background

This gene encodes a class III receptor tyrosine kinase that regulates hematopoiesis. This receptor is activated by binding of the fins-related tyrosine kinase 3 ligand to the extracellular domain, which induces homodimer formation in the plasma membrane leading to autophosphorylation of the receptor. The activated receptor kinase subsequently phosphorylates and activates multiple cytoplasmic effector molecules in pathways involved in apoptosis, proliferation, and differentiation of hematopoietic cells in bone marrow. Mutations that result in the constitutive activation of this receptor result in acute myeloid leukemia and acute lymphoblastic leukemia.