



A Reliable Research Partner in Life Science and Medicine

# Recombinant Thioredoxin/TXN/SASP Monoclonal Antibody

catalog number: AN300563P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## **Description**

Reactivity Mouse

Immunogen Recombinant Mouse Thioredoxin/TXN/SASP Protein


Host Rabbit
Isotype IgG
Clone 6F8
Purification Protein A

Buffer 0.2 µm filtered solution in PBS

Applications Recommended Dilution

WB 1:500-1:1000

## Data



Western Blot with Txn Monoclonal Antibody at dilution of 1:500 dilution. Lane A: Hela Whole Cell Lysate, Lane B: A431 Whole Cell Lysate, Lysates/proteins at 30 µg per lane.

Observed-MW:27 kDa Calculated-MW:27 kDa

## **Preparation & Storage**

Storage This antibody can be stored at 2°C-8°C for one month without detectable loss of

activity. Antibody products are stable for twelve months from date of receipt when

stored at -20  $^{\circ}\text{C}$  to -80  $^{\circ}\text{C}$  . Preservative-Free. Avoid repeated freeze-thaw cycles .

Shipping Ice bag

## **Background**

Thioredoxin, also known as ATL-derived factor, Surface-associated sulphydryl protein, SASP and TXN, is a nucleus, cytoplasm and secreted protein that belongs to the thioredoxin family. Thioredoxins are proteins that act as antioxidants by facilitating the reduction of other proteins by cysteine thiol-disulfide exchange. Thioredoxins are found in nearly all known organisms and are essential for life in mammals. Thioredoxin/TXN participates in various redox reactions through the reversible oxidation of its active center dithiol to a disulfide and catalyzes dithiol-disulfide exchange reactions. Thioredoxin/TXN plays a role in the reversible S-nitrosylation of cysteine residues in target proteins, and thereby contributes to the response to intracellular nitric oxide. Thioredoxin/TXN nitrosylates the active site Cys of CASP3 in response to nitric oxide (NO), and thereby inhibits caspase-3 activity. Thioredoxin/TXN induces the FOS/JUN AP-1 DNA-binding activity in ionizing radiation (IR) cells through its oxidation/reduction status and stimulates AP-1 transcriptional activity.

## For Research Use Only

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086
 Fax: 1-832-243-6017

 Web: www.elabscience.com
 Email: techsupport@elabscience.com
 Rev. V1.0