## Recombinant Mouse Signal Transducer CD24/CD24 (C-Fc)

Catalog Number: PKSM041428



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description  |                                                                                          |
|--------------|------------------------------------------------------------------------------------------|
| Species      | Mouse                                                                                    |
| Mol_Mass     | 29.6 kDa                                                                                 |
| Accession    | P24807                                                                                   |
| Bio-activity | Not validated for activity                                                               |
| Properties   |                                                                                          |
| Purity       | > 95 % as determined by reducing SDS-PAGE.                                               |
| Endotoxin    | $<$ 1.0 EU per $\mu g$ of the protein as determined by the LAL method.                   |
| Storage      | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 |
|              | °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of      |
|              | reconstituted samples are stable at < -20°C for 3 months.                                |

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Signal Transducer CD24 is a heavily and variably glycosylated GPI-linked sialoprotein. Human CD24 is expressed on B lineage cells and granulocytes, on epithelial, neuronal, and muscle cells, and on a range of tumor cells. CD24 expression is regulated during lineage development and with the activation of various cell types. Antibody crosslinking of CD24 enhances the induction of apoptosis in B and T lymphocytes which contributes to negative selection and the induction of immune tolerance. CD24 on antigen presenting cells cooperates with B7 molecules in the costimulation of T cells. CD24 associates in cis with Siglec10 and with the danger-associated molecules HMGB1, HSP70, or HSP90 which are released from necrotic or damaged cells. Formation of these ternary complexes fills a protective role: the resulting Siglec10 signaling inhibits inflammatory responses that are otherwise induced by extracellular DAMPs.

## For Research Use Only