

Recombinant Pan-Actin Monoclonal Antibody

catalog number: **AN301618L**

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*

Description


Reactivity	Human;Rat;Mouse
Immunogen	Recombinant human Pan-Actin fragment
Host	Rabbit
Isotype	IgG, κ
Clone	C111241
Purification	Protein A purified
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.

Applications

Recommended Dilution


WB	1:500-1:1000
IHC	1:200-1:1000
IF	1:50
FCM	1:50-1:100

Data




Western Blot with Pan-Actin Monoclonal Antibody at dilution of 1:1000. Lane 1: HeLa, Lane 2: Jurkat, Lane 3: HEK293, Lane 4: NIH/3T3, Lane 5: C2C12, Lane 6: Mouse brain, Lane 7: Rat brain


Observed-MW:42 kDa
Calculated-MW:42 kDa



Immunohistochemistry of paraffin-embedded Human skeletal muscle using Pan-Actin Monoclonal Antibody at dilution of 1:1000.



Immunohistochemistry of paraffin-embedded Human prostate hyperplasia using Pan-Actin Monoclonal Antibody at dilution of 1:1000.



Immunohistochemistry of paraffin-embedded Mouse cardiac muscle using Pan-Actin Monoclonal Antibody at dilution of 1:1000.


For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com


Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017


Rev. V1.2




Immunohistochemistry of paraffin-embedded Rat stomach using Pan-Actin Monoclonal Antibody at dilution of 1:1000.



Immunofluorescent analysis of (100% Ice-cold methanol) fixed HeLa cells using anti-Pan-Actin Monoclonal Antibody at dilution of 1:50.



Immunofluorescent analysis of (100% Ice-cold methanol) fixed A431 cells using anti-Pan-Actin Monoclonal Antibody at dilution of 1:50.



Immunofluorescent analysis of (4% Paraformaldehyde) fixed NIH/3T3 cells using anti-Pan-Actin Monoclonal Antibody at dilution of 1:50.

Preparation & Storage

Storage

Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping

Ice bag

Background

Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells. In vertebrates 3 main groups of actin isoforms, alpha, beta and gamma have been identified. The alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. The beta and gamma actins coexist in most cell types as components of the cytoskeleton and as mediators of internal cell motility.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.2