

Mouse BK Antibody Pair Set

Catalog No. E-KAB-0358

Applications

ELISA

Synonyms BK

Kit components & Storage

Title	Specifications	Storage
Mouse BK Capture Antibody	1 vial, 100 µg	Store at -20℃ for one year. Avoid freeze / thaw cycles.
Mouse BK Detection Antibody (Biotin)	1 vial, 50 µL	Store at -20℃ for one year. Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Product Information

Items		Characteristic (E-KAB-0358)	
		Mouse BK Capture Antibody	Mouse BK Detection Antibody (Biotin)
Immunogen Information	Immunogen	Recombinant Mouse BK protein	Recombinant Mouse BK protein
	Swissprot	O08677	
Product details	Reactivity	Mouse	Mouse
	Host	Rabbit	Rabbit
	Conjugation	Unconjugated	Biotin
	Concentration	0.5mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50% glycerol, pH 7.4	PBS with 0.04% Proclin 300, 1% protective protein, 50% glycerol, pH 7.4
	Purify	Protein A & Antigen Affinity	Protein A & Antigen Affinity
	Specificity	Detects Mouse BK in ELISAs.	

For Research Use Only

Applications

Mouse BK Sandwich ELISA Assay:

	Recommended Concentration/Dilution	Reagent	Images																
ELISA Capture	0.5-4μg/mL	Mouse BK Capture Antibody	 <table><caption>Approximate data points from the standard curve</caption><thead><tr><th>Mouse BK concentration (ng/mL)</th><th>Optical Density</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.1</td></tr><tr><td>5</td><td>0.2</td></tr><tr><td>10</td><td>0.4</td></tr><tr><td>20</td><td>0.8</td></tr><tr><td>50</td><td>1.5</td></tr><tr><td>100</td><td>2.5</td></tr></tbody></table>	Mouse BK concentration (ng/mL)	Optical Density	1	0.05	2	0.1	5	0.2	10	0.4	20	0.8	50	1.5	100	2.5
Mouse BK concentration (ng/mL)	Optical Density																		
1	0.05																		
2	0.1																		
5	0.2																		
10	0.4																		
20	0.8																		
50	1.5																		
100	2.5																		
ELISA Detection	1:1000-1:10000	Mouse BK Detection Antibody (Biotin)																	

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

Kininogens are inhibitors of thiol proteases. Kininogen 1 plays important role in Kinin-kallikrein system. This gene is translated into High-molecular weight kininogen (HMWK) and low-molecular weight kininogen (LMWK) after alternative splicing. HMWK is produced by the liver together with prekallikrein. It acts mainly as a cofactor on coagulation and inflammation, and has no intrinsic catalytic activity. LMWK is produced locally by numerous tissues, and secreted together with tissue kallikrein. 11926-1-AP was generated against N-terminal 300 aa of HMW kininogen. It can bind both HMW and LMW kininogen.

For Research Use Only