

## GABARAPL2 Polyclonal Antibody

catalog number: E-AB-53021

**Note:** *Centrifuge before opening to ensure complete recovery of vial contents.*

### Description


|                     |                                                                                    |
|---------------------|------------------------------------------------------------------------------------|
| <b>Reactivity</b>   | Human;Mouse;Rat                                                                    |
| <b>Immunogen</b>    | Fusion protein of human GABARAPL2                                                  |
| <b>Host</b>         | Rabbit                                                                             |
| <b>Isotype</b>      | Rabbit IgG                                                                         |
| <b>Purification</b> | Antigen affinity purification                                                      |
| <b>Buffer</b>       | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. |

### Applications

### Recommended Dilution

|     |            |
|-----|------------|
| IHC | 1:50-1:300 |
|-----|------------|

### Data



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using GABARAPL2 Polyclonal Antibody at dilution of 1:60(×200)

### Preparation & Storage

|                 |                                                                                                          |
|-----------------|----------------------------------------------------------------------------------------------------------|
| <b>Storage</b>  | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.                                          |
| <b>Shipping</b> | The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended. |

### Background

GABARAPL2 (GABA Type A Receptor Associated Protein Like 2) is a Protein Coding gene. Diseases associated with GABARAPL2 include Amyotrophic Lateral Sclerosis Type 14 and Neuronal Ceroid Lipofuscinosis. Among its related pathways are Mitophagy - animal and Vesicle-mediated transport. GO annotations related to this gene include microtubule binding and SNARE binding. An important paralog of this gene is GABARAPL1.

### For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

Rev. V1.7