

A Reliable Research Partner in Life Science and Medicine

# Elab Fluor® 647 Anti-Human CD5 Antibody[5D7]

Catalog Number: E-AB-F1371M

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Reactivity Human Mouse Host

Isotype Mouse IgG1, ĸ

Clone No. 5D7

Isotype Control Elab Fluor<sup>®</sup> 647 Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09792M]

Conjugation Elab Fluor®647

**Conjugation Information** Elab Fluor® 647 is designed to be excited by the Red laser (627-640 nm) and detected

using an optical filter centered near 670 nm (e.g., a 660/20 nm bandpass filter).


Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer. Storage Buffer

#### **Applications** Recommended usage

**FCM** 

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

#### Data



Human peripheral blood lymphocytes are stained with FITC

Anti-human CD19 Antibody and Elab Fluor® 647 Anti-Human CD5 Antibody[5D7] (Left). Lymphocytes are stained

with FITC Anti-human CD19 Antibody and Elab Fluor® 647 Mouse IgG1, κ Isotype Control (Right).

#### **Preparation & Storage**

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Do not freeze.

**Shipping** Ice bag

#### **Antigen Information**

T-cell surface glycoprotein CD5;Lymphocyte antigen T1/Leu-1;LEU1;Leu-1;Ly-1;T1; **Alternate Names** 

Tp67

**Uniprot ID** P06127 Gene ID 921

## For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Email:techsupport@elabscience.com

Web:www.elabscience.com

#### **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

### **Background**

CD5 is a 67 kD single chain type I glycoprotein also known as Leu-1, Ly-1 and T1. It is a member of the scavenger receptor superfamily found on T cells, thymocytes, B cell subsets, chronic B lymphocytic leukemia (B-Cells), and peripheral blood dendritic cell s. CD5 modulates T and B cell receptor signaling, thymocyte maturation, and T-B cell interactions upon binding to ligands such as CD72.

Fax: 1-832-243-6017