Recombinant Human PKC epsilon/PKCE Protein (His Tag)

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Catalog Number: PKSH032964



Description **Species** Human 19.6 kDa Mol Mass Accession O02156 Not validated for activity **Bio-activity Properties** > 90 % as determined by reducing SDS-PAGE. Purity Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method. Store at $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles. Storage Shipping This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at $< -20^{\circ}$ C. Formulation Supplied as a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, 1mM DTT, pH 7.4. Reconstitution Not Applicable

Data

kDa	MK R
120 90 60	e
40	- Class
30	-
20	
14	

> 90 % as determined by reducing SDS-PAGE.

Background

Protein Kinase C Epsilon type is a member of the serine- and threonine-specific protein kinase family that can be activated by calcium and the second messenger diacylglycerol. Protein Kinase C Epsilon contains these domains: one AGC-kinase C-terminal domain; one C2 domain; one protein kinase domain and two phorbol-ester/DAG-type zinc finger s. Protein Kinase C Epsilon phosphorylate a variety of protein targets and has been identified to participate in diverse cellular signaling pathways. It has many different cellular functions; such as neuron channel activation; apoptosis; cardioprotection from ischemia; heat shock response; as well as insulin exocytosis. Protein Kinase C Epsilon also serves as the receptor for phorbol esters; a class of tumor promoters.

For Research Use Only