MCL1 Polyclonal Antibody

catalog number: E-AB-16255



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | | |
|-------------------------|--|---|
| Reactivity | Human;Mouse;Rat | |
| Immunogen | Synthetic peptide of human MCL1 | |
| Host | Rabbit | |
| Isotype | IgG | |
| Purification | Affinity purification | |
| Conjugation | Unconjugated | |
| buffer | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. | |
| Applications | Recommended Dilution | |
| ІНС | 1:50-1:200 | |
| Data | | |
| 2 | paraffin-embedded Human gasrtic 1 Polyclonal Antibody at dilution 1:60 | Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using MCL1 Polyclonal Antibody at dilution 1:60 |
| Preparation & Storage | 1.00 | |
| Storage | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. | |
| Shipping | The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended. | |
| Background | | |
| This gene encodes an an | ti-apoptotic protein which is a mer | nher of the BcL2 family. Alternative splicing results in |

This gene encodes an anti-apoptotic protein, which is a member of the Bcl-2 family. Alternative splicing results in multiple transcript variants. The longest gene product (isoform 1) enhances cell survival by inhibiting apoptosis while the alternatively spliced shorter gene products (isoform 2 and isoform 3) promote apoptosis and are death-inducing.

For Research Use Only